

that the copolymer is deposited on the skin, the cycloalkyl methacrylate copolymer being soluble in the evaporative solvent system.

17. The composition of claim 16 wherein the at least one saturated branched-chain hydrocarbon is a mixture of isooctane and isododecane.

18. The composition of claim 16 wherein the at least one saturated branched-chain hydrocarbon is isooctane.

19. The composition of claim 16 wherein the cycloalkyl methacrylate copolymer is a bicycloalkyl methacrylate copolymer.

20. The composition of claim 16 wherein the composition comprises from about 5 percent to about 25 percent of the cycloalkyl methacrylate copolymer, and from about 73 percent to about 94.5 percent of the evaporative solvent.

21. The composition of claim 16 wherein the evaporative solvent comprises a mixture of isooctane and isododecane.

22. The composition of claim 16 wherein the evaporative solvent comprises isooctane and hexamethyldisiloxane.

23. The composition of claim 21 wherein the composition comprises from about 5 percent to

about 25 percent of the cycloalkyl methacrylate copolymer, and from about 73 percent to about 94.5 percent of the evaporative solvent.

24. The composition of claim 22 wherein the composition comprises from about 5 percent to about 25 percent of the cycloalkyl methacrylate copolymer, and from about 73 percent to about 94.5 percent of the evaporative solvent.

25. The composition of claim 16 wherein the composition comprises from about 8 percent to about 15 percent of the cycloalkyl methacrylate copolymer, from about 65 percent to about 75 percent isooctane, and about 15 percent to about 25 percent hexamethyldisiloxane.

26. The composition of claim 16 wherein the composition comprises from about 11 percent of the cycloalkyl methacrylate copolymer, from about 69 percent isooctane, and about 20 percent hexamethyldisiloxane.

27. A composition that dries to produce a protective film for skin when applied to the skin of a user comprising:

(a) about 11 percent of cycloalkyl methacrylate copolymer;

(b) about 69 percent of isooctane; and

(c) about 20 percent of hexamethyldisiloxane.

28. The composition of claim 27 wherein said cycloalkyl methacrylate copolymer is further comprised of about 50 percent of cycloalkyl methacrylate polymer; and

Reissue of Patent No.: 6,358,503
Atty. Docket No.: P69535US0

about 50 percent of isododecane.

STATUS OF CLAIMS AND SUPPORT FOR CLAIM CHANGES

<u>Claim Number</u>	<u>Support in the Disclosure</u>
16 (pending)	column 2, line 17 to line 46
17 (pending)	column 2, line 39 to line 46
18 (pending)	column 2, line 44 to line 46
19 (pending)	column 2, line 35 to line 38
20 (pending)	column 2, line 55 to line 58
21 (pending)	column 2, line 42 to line 44
22 (pending)	column 2, line 39 to line 42
23 (pending)	column 2, line 55 to line 58
24 (pending)	column 2, line 55 to line 58
25 (pending)	column 2, line 61 to line 64
26 (pending)	column 2, line 59 to line 61
27 (pending)	column 2, line 65 to column 3, line 3
28 (pending)	column 3, line 4 to line 10